(213) 225-6486 thenivalabs.com/ Lic# C8-0000024-LIC

1 of 5

Overall Status: Pass

## Strawbery Milkshake 250mg

Sample ID: 2011NIVA0384.1080 Strain: Strawberry 250mg Matrix: Ingestible


Type: Tincture Sample Size: ; Batch Size: Collected:

Received: 11/06/2020 Completed: 11/11/2020 Batch#: 1593BB1122

Client

Koi CBD Lic.#

14631 Best Ave Norwalk, CA 90650



**Pass** 

Foreign Matter

**Pass** 

**Heavy Metals** 

**Not Tested** 

Moisture

**Pass** 

**Pesticides** 

**Pass** 

Microbials

**Pass** 

Solvents

**Pass** 0.06 aw

Water Activity

**Pass** 

Mycotoxins

#### Cannabinoids (SOP.TS.4.100 HPLC Analysis)

ND ND **Total THC** 

0.777%

9.570 mg/mL

**Total CBD** 

0.777%

9.570 mg/mL

**Total Cannabinoids** 

NT

Moisture

Analyte	LOD	LOQ	Mass	Mass	Mass	Mass	
	mg/g	mg/g	mg/mL	%	mg/serving	mg/package	
CBD	0.0030	0.0100	9.570	0.78	9.57	287.21	
CBC	0.0030	0.0100	ND	ND	ND	ND	
CBG	0.0030	0.0100	ND	ND	ND	ND	
CBN	0.0030	0.0100	ND	ND	ND	ND	
CBDa	0.0030	0.0100	ND	ND	ND	ND	
CBDV	0.0030	0.0100	ND	ND	ND	ND	
CBGa	0.0030	0.0100	ND	ND	ND	ND	
THCa	0.0030	0.0100	ND	ND	ND	ND	
THCV	0.0030	0.0100	ND	ND	ND	ND	
Δ8-ΤΗС	0.0030	0.0100	ND	ND	ND	ND	
Δ9-ΤΗС	0.0030	0.0100	ND	ND	ND	ND	
Total THC			ND	ND	ND	ND	
Total CBD			9.570	0.7768	9.574	287.208	
Total				0.7768	9.574	287.208	

Density: 1.232g per 1 mL

Cannabinoids Date Tested: 11/10/2020

Total THC = (THCa x 0.877) + Δ9-THC; Total CBD = (CBDa x 0.877) + CBD; LOD = Limit of Detection; LOQ = Limit of Quantitation; ND = Not Detected; NT = Not Tested; Cured plant material reported as moisture-corrected % dry weight, other sample types reported "as is." Unless otherwise stated, all quality control samples performed within specifications established by the Laboratory. Analytical Instrumentation: Agilent 1260 HPLC.

Water Activity Analytical Instrumentation: Rotronic HCW HC2-AW-USB Water Activity Meter. Water Activity Analysis Date: 11/09/2020

 $For eign\,Material\,Analytical\,Instrumentation:\,Illuminated\,Magnifying\,Lens.\,For eign\,Material\,Analysis\,Date:\,11/09/2020$ 









Confident Cannabis All Rights Reserved support@confidentcannabis.com (866) 506-5866 www.confidentcannabis.com





(213) 225-6486 thenivalabs.com/ Lic# C8-0000024-LIC

2 of 5

Overall Status: Pass

#### Strawbery Milkshake 250mg

Sample ID: 2011NIVA0384.1080 Client Strain: Strawberry 250mg Collected: Koi CBD Matrix: Ingestible Received: 11/06/2020 Lic.#

Type: Tincture Completed: 11/11/2020 14631 Best Ave Sample Size: ; Batch Size: Batch#: 1593BB1122 Norwalk, CA 90650

Microbials		Pass
Analyte	Result	Status
Aspergillus flavus	Not Detected in 1g	Pass
Aspergillus fumigatus	Not Detected in 1g	Pass
Aspergillus niger	Not Detected in 1g	Pass
Aspergillus terreus	Not Detected in 1g	Pass
Shiga toxin-producing E. Coli	Not Detected in 1g	Pass
Salmonella SPP	Not Detected in 1g	Pass

Date Tested: 11/10/2020

LOD = Limit of Detection; LOQ = Limit of Quantitation; ND = Not Detected; NT = Not Tested;
Unless otherwise stated, all quality control samples performed within specifications established by the Laboratory. Analytical Instrumentation: PathogenDx (PCR)

Mycotoxins **Pass** 

Analyte	LOD	LOQ	Limit	Units	Status
	μg/kg	µg/kg	μg/kg	μg/kg	
B1	4.00	5.00		ND	Tested
B2	4.00	5.00		ND	Tested
G1	4.00	5.00		ND	Tested
G2	4.00	5.00		ND	Tested
Total Aflatoxins			20.00	ND	Pass
Ochratoxin A	16	20	20.00	ND	Pass

Date Tested: 11/11/2020 LOD = Limit of Detection; LOQ = Limit of Quantitation; ND = Not Detected; NT = Not Tested;

Unless otherwise stated, all quality control samples performed within specifications established by the Laboratory. Analytical Instrumentation: Agilent 6470A LC-MS

**Heavy Metals Pass** 

Analyte	LOD	LOQ	Limit	Units	Status
	μg/g	µg/g	µg/g	μg/g	
Arsenic	0.009	0.090	1.500	ND	Pass
Cadmium	0.009	0.090	0.500	ND	Pass
Lead	0.009	0.090	0.500	ND	Pass
Mercury	0.005	0.020	3.000	ND	Pass

Date Tested: 11/10/2020

LOD = Limit of Detection; LOQ = Limit of Quantitation; ND = Not Detected; NT = Not Tested; Unless otherwise stated, all quality control samples performed within specifications established by the Laboratory. Analytical Instrumentation: Agilent 7900 ICP-MS







Confident Cannabis All Rights Reserved support@confidentcannabis.com (866) 506-5866 www.confidentcannabis.com



Accreditation #101219 Lab Director Neww.confidentcannabis.com ISO/IEC 17025:2017 Attest all LQC samples performed and met in accordance with 16 CCR sec. 5730. This product has been tested by Niva Labs using valid testing methodologies and a quality system as required by state law. Values reported relate only to the product tested. Niva Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Niva Labs. Please contact The Niva Labs for information about measurement uncertainty. Please contact The Niva Labs for information about measurement uncertainty.

**Overall Status: Pass** 

(213) 225-6486 thenivalabs.com/ Lic# C8-0000024-LIC

3 of 5

#### Strawbery Milkshake 250mg

Sample ID: 2011NIVA0384.1080Produced:ClientStrain: Strawberry 250mgCollected:Koi CBDMatrix: IngestibleReceived: 11/06/2020Lic. #

Type: Tincture Completed: 11/11/2020 14631 Best Ave
Sample Size: ; Batch Size: Batch#: 1593BB1122 Norwalk, CA 90650

Pesticides Pass

Analyte	LOD	LOQ	Limit	Mass	Status	Analyte	LOD	LOQ	Limit	Mass	Status
	μg/g	µg/g	µg/g	μg/g			µg/g	µg/g	µg/g	μg/g	
Abamectin	0.040	0.050	0.30	ND	Pass	Fludioxonil	0.040	0.050	30.00	ND	Pass
Acephate	0.050	0.100	5.00	ND	Pass	Hexythiazox	0.010	0.020	2.00	ND	Pass
Acequinocyl	0.040	0.050	4.00	ND	Pass	lmazalil	0.040	0.050	0.04	ND	Pass
Acetamiprid	0.010	0.020	5.00	ND	Pass	Imidacloprid	0.010	0.020	3.00	ND	Pass
Aldicarb	0.010	0.020	0.01	ND	Pass	Kresoxim Methyl	0.020	0.050	1.00	ND	Pass
Azoxystrobin	0.010	0.020	40.00	ND	Pass	Malathion	0.010	0.020	5.00	ND	Pass
Bifenazate	0.010	0.020	5.00	ND	Pass	Metalaxyl	0.010	0.020	15.00	ND	Pass
Bifenthrin	0.010	0.020	0.50	ND	Pass	Methiocarb	0.010	0.020	0.01	ND	Pass
Boscalid	0.040	0.050	10.00	ND	Pass	Methomyl	0.010	0.020	0.10	ND	Pass
Captan	0.100	0.100	5.00	ND	Pass	Mevinphos	0.018	0.045	0.02	ND	Pass
Carbaryl	0.020	0.050	0.50	ND	Pass	Myclobutanil	0.040	0.050	9.00	ND	Pass
Carbofuran	0.010	0.020	0.01	ND	Pass	Naled	0.040	0.050	0.50	ND	Pass
Chlorantraniliprole	0.040	0.050	40.00	ND	Pass	Oxamyl	0.010	0.020	0.20	ND	Pass
Chlordane	0.030	0.050	0.03	ND	Pass	Paclobutrazol	0.040	0.050	0.04	ND	Pass
Chlorfenapyr	0.030	0.050	0.03	ND	Pass	Parathion Methyl	0.030	0.050	0.03	ND	Pass
Chlorpyrifos	0.020	0.050	0.02	ND	Pass	Pentachloronitrobenzene	0.030	0.050	0.20	ND	Pass
Clofentezine	0.010	0.020	0.50	ND	Pass	Permethrin	0.020	0.050	20.00	ND	Pass
Coumaphos	0.050	0.100	0.05	ND	Pass	Phosmet	0.010	0.020	0.20	ND	Pass
Cyfluthrin	0.050	0.100	1.00	ND	Pass	Piperonyl Butoxide	0.010	0.020	8.00	ND	Pass
Cypermethrin	0.050	0.100	1.00	ND	Pass	Prallethrin	0.040	0.050	0.40	ND	Pass
Daminozide	0.040	0.050	0.04	ND	Pass	Propiconazole	0.040	0.050	20.00	ND	Pass
Diazinon	0.010	0.020	0.20	ND	Pass	Propoxur	0.010	0.020	0.01	ND	Pass
Dichlorvos	0.050	0.100	0.05	ND	Pass	Pyrethrins	0.042	0.084	1.00	ND	Pass
Dimethoate	0.010	0.020	0.01	ND	Pass	Pyridaben	0.030	0.050	3.00	ND	Pass
Dimethomorph	0.020	0.050	20.00	ND	Pass	Spinetoram	0.041	0.061	3.00	ND	Pass
Ethoprophos	0.010	0.020	0.01	ND	Pass	Spinosad	0.019	0.048	3.00	ND	Pass
Etofenprox	0.010	0.020	0.01	ND	Pass	Spiromesifen	0.010	0.020	12.00	ND	Pass
Etoxazole	0.010	0.020	1.50	ND	Pass	Spirotetramat	0.020	0.050	13.00	ND	Pass
Fenhexamid	0.040	0.050	10.00	ND	Pass	Spiroxamine	0.010	0.020	0.01	ND	Pass
Fenoxycarb	0.010	0.020	0.01	ND	Pass	Tebuconazole	0.050	0.100	2.00	ND	Pass
Fenpyroximate	0.010	0.020	2.00	ND	Pass	Thiacloprid	0.010	0.020	0.01	ND	Pass
Fipronil	0.040	0.050	0.04	ND	Pass	Thiamethoxam	0.010	0.020	4.50	ND	Pass
Flonicamid	0.010	0.020	2.00	ND	Pass	Trifloxystrobin	0.010	0.020	30.00	ND	Pass

Date Tested: 11/11/2020 LOD = Limit of Detection; LOQ = Limit of Quantitation; ND = Not Detected; NT = Not Tested; Unless otherwise stated, all quality control samples performed within specifications established by the Laboratory. Analytical Instrumentation: Agilent 6470A LC-MS; Agilent 7010B GC-MS







Confident Cannabis All Rights Reserved support@confidentcannabis.com (866) 506-5866 www.confidentcannabis.com



Accreditation #101219 Lab Director Newww.confidentcannabis.com ISO/IEC 17025:2017 Lab Director Neww.confidentcannabis.com ISO/IEC 17025:2017 Lab Director Neww.confidentcannabis.com ISO/IEC 17025:2017 Living ISO/IEC 17025:2017

**Overall Status: Pass** 

(213) 225-6486 thenivalabs.com/ Lic# C8-0000024-LIC

4 of 5

### Strawbery Milkshake 250mg

Sample ID: 2011NIVA0384.1080Produced:ClientStrain: Strawberry 250mgCollected:Koi CBDMatrix: IngestibleReceived: 11/06/2020Lic. #

Type: Tincture Completed: 11/11/2020 14631 Best Ave
Sample Size: ; Batch Size: Batch#: 1593BB1122 Norwalk, CA 90650

#### **Residual Solvents**

Analyte	LOD	LOQ	Limit	Mass	Status
	µg/g	µg/g	μg/g	μg/g	Pass
1,2-Dichloroethane	0.25	0.50	1.000	ND	Pass
Acetone	5.0	10	5000.000	ND	Pass
Acetonitrile	5.0	10	410.000	ND	Pass
Benzene	0.25	0.50	1.000	ND	Pass
Butane	5.0	10	5000.000	ND	Pass
Chloroform	0.25	0.50	1.000	ND	Pass
Ethanol	5.0	10	5000.000	2999.404	Pass
Ethyl-Acetate	5.0	10	5000.000	587.330	Pass
Ethyl-Ether	5.0	10	5000.000	ND	Pass
Ethylene Oxide	0.50	1.0	1.000	ND	Pass
Heptane	5.0	10	5000.000	ND	Pass
Isopropanol	5.0	10	5000.000	ND	Pass
Methanol	5.0	10	3000.000	ND	Pass
Methylene Chloride	0.25	0.50	1.000	ND	Pass
n-Hexane	5.0	10	290.000	ND	Pass
Pentane	5.0	10	5000.000	ND	Pass
Propane	5.0	10	5000.000	ND	Pass
Toluene	5.0	10	890.000	ND	Pass
Trichloroethene	0.25	0.50	1.000	ND	Pass
Xvlenes	5.0	10	2170.000	ND	Pass



Date Tested: 11/10/2020 LOD = Limit of Detection; LOQ = Limit of Quantitation; ND = Not Detected; NT = Not Tested; Unless otherwise stated, all quality control samples performed within specifications established by the Laboratory. Analytical Instrumentation: Agilent 5977B GC-MS-FID







Confident Cannabis All Rights Reserved support@confidentcannabis.com (866) 506-5866 www.confidentcannabis.com



Accreditation #101219 Lab Director 11/11/2020

Attest all LQC samples performed and met in accordance with 16 CCR sec. 5730. This product has been tested by Niva Labs using valid testing methodologies and a quality system as required by state law. Values reported relate only to the product tested. Niva Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Niva Labs. Please contact The Niva Labs for information about measurement uncertainty. Please contact The Niva Labs for information about measurement uncertainty

5 of 5

(213) 225-6486 thenivalabs.com/ Lic# C8-0000024-LIC

**Overall Status: Pass** 

# Strawbery Milkshake 250mg

Sample ID: 2011NIVA0384.1080Produced:ClientStrain: Strawberry 250mgCollected:Koi CBDMatrix: IngestibleReceived: 11/06/2020Lic. #

Type: Tincture Completed: 11/11/2020 14631 Best Ave
Sample Size: ; Batch Size: Batch#: 1593BB1122 Norwalk, CA 90650

#### **Terpenes**

Analyte	LOD	LOQ	Mass	Mass
	mg/g	mg/g	mg/g	%
α-Bisabolol	0.03	0.10	ND	ND
α-Humulene	0.03	0.10	ND	ND
α-Pinene	0.03	0.10	ND	ND
α-Terpinene	0.03	0.10	ND	ND
β-Caryophyllene	0.03	0.10	ND	ND
β-Myrcene	0.03	0.10	ND	ND
β-Pinene	0.03	0.10	ND	ND
Camphene	0.03	0.10	ND	ND
Caryophyllene Oxide	0.03	0.10	ND	ND
cis-Nerolidol	0.03	0.10	ND	ND
δ-3-Carene	0.03	0.10	ND	ND
δ-Limonene	0.03	0.10	ND	ND
Eucalyptol	0.03	0.10	ND	ND
y-Terpinene	0.03	0.10	ND	ND
Guaiol	0.03	0.10	ND	ND
Isopulegol	0.03	0.10	ND	ND
Linalool	0.03	0.10	<loq< th=""><th><loq< th=""></loq<></th></loq<>	<loq< th=""></loq<>
Ocimene	0.03	0.10	ND	ND
p-Cymene	0.03	0.10	ND	ND
Terpinolene	0.03	0.10	ND	ND
trans-Nerolidol	0.03	0.10	ND	ND
Total			0.00	0

#### **Primary Aromas**



Date Tested: 11/11/2020

LOD = Limit of Detection; LOQ = Limit of Quantitation; ND = Not Detected; NT = Not Tested; Unless otherwise stated, all quality control samples performed within specications established by the Laboratory. Analytical Instrumentation: Agilent 5977B HS-GC-MS; SOPTS.4.200"
This terpenes method has not yet been evaluated for ISO/IEC 17025 accreditation.







Confident Cannabis All Rights Reserved support@confidentcannabis.com (866) 506-5866 www.confidentcannabis.com



Accreditation #101219 Lab Director Newww.confidentcannabis.com ISO/IEC 17025:2017 Lab Director Neww.confidentcannabis.com ISO/IEC 17025:2017 Lab Director Neww.confidentcannabis.com ISO/IEC 17025:2017 Living ISO/IEC 17025:2017